

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S66	23	("4298980"   "5657456"   "5107208"   "5481471"   "5610530"   "5861774"   "6185710"   "6535945"   "6609221"   "6011387"   "6680681").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 08:38
S67	42	("4375051"   "4451886"   "4691294"   "4716525"   "4797815"   "4864496"   "4881165"   "5291123"   "5333192"   "5359235"   "5406147"   "5431182"   "5450572"   "5452436"   "5461330"   "5479123"   "5523721"   "5534811"   "5574866"   "5592658"   "5600824"   "5634014"   "5654653"   "5657456"   "5666078"   "5680060"   "5687330"   "5705937"   "5781028"   "5819053"   "5955894"   "6078979"   "6233177"   "6307791"). PN. OR ("6535945"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/08 08:41
S68	35	("4507576"   "4567378"   "4797579"   "4823029"   "4908526"   "4920339"   "5008568"   "5013940"   "5017807"   "5029284"   "5124570"   "5153456"   "5214320"   "5216293"   "5218239"   "5311077"   "5311084"   "5319252"   "5329175").PN. OR ("5657456").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/08 08:47
S69	1	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre \$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and ((program\$5 near3 impedanc\$4) or (program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:03

		\$5 near3 terminat\$4)) and (differential near3 receiv\$4)				
S70	1	control\$4 and (test\$3 near3 enabl\$3) and driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre\$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and ((program\$5 near3 impedanc\$4) or (program\$5 near3 terminat\$4)) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:08
S71	1	control\$4 and enabl\$3 and driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre\$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and ((program\$5 near3 impedanc\$4) or (program\$5 near3 terminat\$4)) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:08
S72	2	control\$4 and enabl\$3 and driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre\$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:09
S73	2	enabl\$3 and driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre\$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:10

S74	2	driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (pre\$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert \$4) or dac) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:10
S75	10	driv\$4 and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:11
S76	1	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and latch\$3 and (pre \$amplif\$4 or (pre near3 amplif\$4) or preamplif\$4) and driv\$4 and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac) and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and (differential near3 receiv \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:12
S77	0	324/763.ccls. and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and driv\$4 and (((digital\$3 near3 analog \$3) near3 convert\$4) or dac)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:14
S78	0	714/726.ccls. and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and driv\$4 and (((digital\$3 near3 analog \$3) near3 convert\$4) or dac)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:14
S79	0	"714"/\$.ccls. and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and driv\$4 and (((digital\$3 near3 analog \$3) near3 convert\$4) or dac)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:14

S80	1	"714"/\$.ccls. and ((fir or (finite near3 impuls\$3 near3 response)) near3 latch\$3) and (((digital\$3 near3 analog\$3) near3 convert\$4) or dac)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:14
S81	64	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and (differential near3 receiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:29
S82	2	("20040217774"   "6734702").PN. OR ("7135884").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/08 09:34
S83	268	control\$4 and (test\$3 near3 enabl\$3) and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:44
S84	1	S83 and 324/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:45
S85	0	S83 and 714/726.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:45
S86	27	S83 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:46
S87	18	S83 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:48
S88	12	S83 and "702"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:48

S89	15	S87 not S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:48
S90	2357	control\$4 and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:49
S91	2	S90 and 324/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:50
S92	1	S90 and 714/726.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:50
S93	140	S90 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:50
S94	106	S90 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:50
S95	46	("4290013"   "4315210"   "4417204"   "4572971"   "4612630"   "4625311"   "4680537"   "4698589"   "4714875"   "4841286"   "4908795"   "5140554"   "5268643"   "5293133"   "5311448"   "5323377"   "5351001"   "5377124"   "5402072"   "5414364"   "5446682"   "5469396"   "5502395"   "5525909"   "5539306"   "5539690"   "5612623"   "5635854"   "5648759"   "5654663"   "5659483"   "5661409"   "5694047"   "5818247"   "5877993"   "5889414"	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/08 09:51

		"5912852"   "5952833"   "5995424"   "6005799"   "6052653"   "6411079"   "6469494").PN. OR ("6686747").URPN.				
S96	132	S93 not S94	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/08 09:52
S97	1	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and (differential near3 receiv\$4) and amplif \$4 and (offset near3 voltage) and (level near3 shift\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:55
S98	1	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and (differential near3 receiv\$4) and amplif \$4 and (offset near3 voltage) and shift\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 09:59
S99	11	control\$4 and (test\$3 near3 enabl\$3) and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and receiv\$4 and amplif\$4 and (offset near3 voltage) and shift\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:00
S100	78	control\$4 and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and resistor and receiv\$4 and amplif\$4 and (offset near3 voltage) and shift\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:01
S101	116	control\$4 and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4))and receiv\$4 and amplif\$4 and (offset near3 voltage) and shift\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:01

S102	13	control\$4 and (test\$3 near3 enabl\$3) and driv\$4 and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4))and receiv\$4 and amplif\$4 and (offset near3 voltage) and shift\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:01
S103	1	control\$4 and (test\$3 near3 enabl\$3) and (differential near3 driv\$4) and ((program\$5 near3 impedanc\$4) or (program \$5 near3 terminat\$4)) and (differential near3 receiv \$4) and amplif\$4 and (offset near3 voltage) and (level near3 shift\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:02
S104	4	S101 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:04
S105	5	S101 and "702"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:04
S106	9	S101 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 10:04
S107	0	("2005/0246125").URPN.	USPAT	OR	ON	2008/07/08 10:05

7/ 17/ 2008 4:29:33 PM

C:\Documents and Settings\rvelez\My Documents\EAST\Workspaces\10708788.wsp